

ISOWA

TWIN LINE

Corrugator CWDX

Max. Paper Width 1800mm (72")

Min. Paper Width 850mm (34")

built in 1992, max. Speed 200m/min (670fpm)

Max. Production Speed 180m/min (590fpm)

Machine Color: ISOWA midgrey
Right-Hand-Drive
(Drive-Side in productiondirection = right)

the machine is in a very good condition and still running.
Available in January 2006.

TWIN FACER **<SF99> with B/E Flute**

**Pipe-System with steam and automatic
TLV Steam Control
separate for corrugator rolls and Preheater
without boiler**

with noise protection cabinet from GLA




CARTRIDGE SINGLE FACER SYSTEM <CF30>

**with C,B,E,F and G Flute-Cartridge
(Built in 1997)**



<TMS> Mill Roll Stand

<ICS> Automatic Splicers



PREHEATER from FAVALESSA

GLUE UNIT <GUD5>

Rotary Shear <SRC5>




DOUBLE FACER <CDL2>

- Duplex Overhead Bridge from FAVALESSA with Automatic CORRULINER / CORRTRACK
- Brake Control (Brake) from E+L
- 3 section heat plates automatic controlled temperature
- 1st section with INTERFIC System (shoes)



2 AUTOMATIC SLITTER SCORER <HSS1 / HSS2>

- 6 Slitter, 12 Scorer each unit
- separate negatic Scorer unit
- and Tandem operation possible



DUPLEX DRIVE CUT-OFF <DCC8>

Relaince Japan

+ Cut Mark Sensor from Rockwell

+ Vakuuum in- and outfeed



DOUBLE DOWN STACKER <DDS>

with Roller-Conveyor-System from FAVALESSA



INAC SYSTEM

**with WEM (Wet-End-Control)
DEM (Dry-End-Conrol)
with complete Starchsystem
(Gluekitchen)**

